

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	670	714/9,10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:38
L2	841	714/43,56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:38
L3	364	712/220.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:38
L4	1411	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:38
L5	3252	(L1 L2 L3 L4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:38
L7	70	(array and port and (failure error fail) and controller and path).clm.	US-PGPUB	OR	ON	2006/04/14 15:42
L10	39	(array and port and (failure error fail) and controller and instruction).clm.	US-PGPUB	OR	ON	2006/04/14 15:43
L14	1	5 and 7	US-PGPUB	OR	ON	2006/04/14 15:43
L16	2	5 and 10	US-PGPUB	OR	ON	2006/04/14 15:43
L17	4	((array memory (register adj file)) and (port adj3 (failure error fail)) and controller and instruction).clm.	US-PGPUB	OR	ON	2006/04/14 15:43
L20	1	((swap adj controller) and selector and port and (fails fault failure)).clm.	US-PGPUB	OR	ON	2006/04/14 15:45

EAST Search History

L21	2	((alternative adj path) and (port with (backup secondary redundant failover))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:44
L22	9	(swap adj controller).clm.	US-PGPUB	OR	ON	2006/04/14 15:45

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	156	(dual adj port) with (register adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 14:29
L9	75	((dual adj port) with (register adj file)) and (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:14
L11	5	(dual adj port) same failover	USPAT	OR	OFF	2006/04/14 15:14
L12	0	(port same (register adj file)) and (failover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:15
L13	619	(port same (memory)) and (failover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:15
L14	30	(port same (memory)) same (failover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 15:15
S4	349	(register adj file) and (port with (backup secondary redundant failover))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:36
S5	18	"714"/\$.ccls. and (register adj file) and (port with (backup secondary redundant failover))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:44

EAST Search History

S8	20	((backup secondary redundant failover) adj4 port) and (register adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:12
S9	8604	((backup secondary redundant failover) adj4 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:12
S10	6	((backup redundant failover) adj4 port) and (register adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:59
S11	985	((backup redundant failover) adj4 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:14
S12	16	"712"/\$.ccls. and ((backup redundant failover spare) adj4 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:31
S13	55	"712"/\$.ccls. and ((backup redundant failover spare duplicate alternate) adj4 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:32
S14	117	"712"/\$.ccls. and ((backup redundant failover spare duplicate alternate slave) adj4 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:32
S15	146	"712"/\$.ccls. and ((backup redundant failover spare duplicate alternate slave inactive) adj4 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:33

EAST Search History

S16	55	"712"/\$.cccls. and ((backup redundant failover spare duplicate alternate slave inactive) adj2 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:37
S17	993	instruction and ((backup redundant failover spare duplicate alternate slave inactive) adj2 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:17
S18	77	instruction same ((backup redundant failover spare duplicate alternate slave inactive) adj2 port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:38
S26	19	(register adj file) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:53
S27	6	differential adj memory adj array	USPAT	OR	OFF	2006/04/13 08:43
S28	9	differential adj memory adj array	US-PGPUB; USPAT	OR	OFF	2006/04/13 08:43
S29	569	(memory adj array) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 08:49
S30	46	(memory adj array) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 08:50
S31	414	((memory adj array) (register file)) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 08:51

EAST Search History

S32	496	((memory adj array) (register file) instruction) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:32
S33	3263	((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:02
S34	65	"712"/\$.ccls. and ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:30
S35	152	"711"/\$.ccls. and ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:03
S36	217	"714"/\$.ccls. and ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:03
S37	389	((backup failover spare alternate slave inactive (fault adj tolerant)) adj3 (port)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:31
S38	111	((backup failover spare alternate slave inactive (fault adj tolerant)) with memory with port) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:32
S39	52	((backup failover spare alternate slave inactive (fault adj tolerant)) adj5 ((register adj file) array memory) adj5 (port interface connection interconnect)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:17

EAST Search History

S40	1	(redundant adj port) with operands	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:45
S41	4	(redundant adj port) with instructions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:45
S42	52	((backup failover spare alternate slave inactive (fault adj tolerant)) adj5 ((register adj file) array memory SRAM) adj5 (port interface connection interconnect)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 09:46
S44	28	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 ((register adj file) array memory storage) adj5 port) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:23
S46	535	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 (port output)) same (error fault failure) same ((register adj file) array memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 10:25
S47	100	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 ((register adj file) array memory) adj5 (port output)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:26
S48	670	714/9,10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47
S49	841	714/43,56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47

EAST Search History

S50	364	712/220.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47
S51	1849	(S48 S49 S50)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:26
S52	71	S51 and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 (port output)) same (error fault failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:24
S53	28	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 (port output)) same (error fault failure) same (((register adj file) array memory storage) adj (port output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:58
S55	234	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (error fault failure) same (((register adj file) array memory storage) adj (port output)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:27
S59	4622	(dual (backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj2 (port output channel terminal)) same (error fault failure) same ((register adj file) array memory storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:29
S60	14	S51 and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (error fault failure) same (((register adj file) array memory storage) adj (port output)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:31

EAST Search History

S63	1411	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47
S64	3	S63 and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (error fault failure) same (((register adj file) array memory storage) adj (port output)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:32
S65	912	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj4 (port output channel terminal)) same (error fault failure) same ((register adj file) array memory storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:34
S66	49	(S51 S63) and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj4 (port output channel terminal)) same (error fault failure) same ((register adj file) array memory storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:39
S67	47	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj4 (port output channel terminal path connection)) same (error fault failure) same (memory adj array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:48
S68	670	714/9,10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47
S69	841	714/43,56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47

EAST Search History

S70	364	712/220.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47
S71	1411	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:47
S72	22	(S68 S69 S70 S71) and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (dual adj (port output channel terminal path connection)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:34
S73	17	(S68 S69 S70 S71) and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (dual adj port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:58
S74	1024	((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (dual adj port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:58